



CaIMAN

Setup Guide

Panasonic VT25 (US) Plasma

Rev. 1.1

Introduction

CalMAN automatically calibrates the Panasonic VT25 US model display's two point grayscale controls. The display's two custom picture modes, ISF Day and ISF Night, can each be calibrated with individual picture menu adjustments and two point grayscale adjustments.

CalMAN Recommended Workflows

- HT Basic or SI Basic to optimize display Picture controls and calibrate white balance tracking.

Recommended Test Patterns

Plasma displays such as the VT25 exhibit power supply luminance limiting with high brightness, high APL test patterns. This can cause incorrect luminance measurements. To avoid this situation, use test patterns with the smallest window size available from your test pattern source. Under Window Size, on the Source Settings panel, select the smallest window size that works with your color meter.

Panasonic Required Firmware

- Any version is acceptable

Panasonic Control Connection

- DB9 female to DB9 female straight through RS-232 (pin2 – pin2, pin3 – pin3)

Panasonic Setup Process

To connect your computer to a VT25 with a serial cable:

1. Connect a DB9 female to DB9 female straight through RS-232 cable between the display and the CalMAN computer (if necessary, use a USB to serial adapter).

CalMAN Connection Procedure

To connect CalMAN to the Panasonic display and enable the ISFccc mode:

1. On the Panasonic display, open the "Picture" menu.

- a. Select the “Custom” Picture Mode.
 - b. Highlight the “Pro Settings” menu item.
 - c. Press and hold the RED key on the Panasonic remote for 4+ seconds until ‘Waiting for Connection’ is shown on the display.
2. In CalMAN, under “Find Display,” select “Panasonic - VT25 (US Models) (RS-232).”
 - a. Under “Serial Connection,” select the com port connected to the VT25.
 - b. Click *Connect* on the display connect panel.
 3. In CalMAN, on the *Display Control* panel.
 - a. Under “Display Mode Selection,” select “ISF Day” or “ISF Night.”
 - b. Under “Active Grayscale Points,” select 2 points.

Panasonic DDC Picture Controls

Panasonic Picture controls are available within the CalMAN software, allowing you to make display adjustments in the software, rather than using the display’s remote control. On those calibration workflow steps where you need to make a manual display adjustment (e.g. Brightness, Contrast, etc.), you can open the CalMAN DDC panel to make those adjustments from the CalMAN screen.

Panasonic Display Calibration

- **AV Mode** – Select CUSTOM to enable the Pro Settings for calibration.
- **Color Temp** – Select WARM 1 or WARM 2 for color temperature closest to the D65 target.
- **Black Level** – Select DARK.
- **Pro Settings/Gamma** – Select 2.2 or 2.4 to test for best performance to selected target.
- **Pro Settings/Panel Brightness (backlight)** – Select HIGH, MID or LOW to set desired luminance level.
- **Pro Settings/AGC (auto brightness)** – Select OFF to disable auto brightness for accurate calibration.

CalMAN AutoCal™

Prior to CalMAN Grayscale AutoCal, set the display’s Brightness and Contrast controls to 50 and 100, respectively.

After AutoCal is complete, optimize the Brightness and Contrast controls for the viewing conditions.

About / Contact

About Portrait Displays

Portrait Displays, Inc., since 1993, is a leading application software provider (ASP) for PC, smartphone, and tablet displays. The Portrait Displays team now includes **SpectraCal**, the world's leading provider of video display calibration software. The combined companies offer value-added, feature-rich solutions to both OEM display manufacturers and end users seeking improved accuracy and manageability of their displays.

Portrait Displays, an Intel Capital Portfolio company, is a private corporation with headquarters in Pleasanton, California, USA with representatives in Europe, Taiwan, China, Japan, and Korea.

Contact Us

SpectraCal

Submit a Technical Support Request:

<http://calman.spectracal.com/techsupport.html>

spectracal.com

sales@spectracal.com

+1-925-227-2700

**PORTRAIT
DISPLAYS**

Portrait Displays, Inc.

6663 Owens Drive

Pleasanton, CA 94588 USA

portrait.com